


IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

IEEE Xplore®
 RELEASE 1.6

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)
» [See](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Your search matched **3** of **1024576** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set
Results Key:**JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard

= Your access to full-text

1 SDH network equipment architecture controlled by multi operation systems*Harada, K.; Tamaki, N.; Matsuoka, S.;*

Global Telecommunications Conference, 1994. GLOBECOM '94. 'Communications The Global Bridge', IEEE, Volume: 2, 28 Nov.-2 Dec. 1994

Pages:1162 - 1165 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(424 KB\)\]](#) IEEE CNF
2 Performance comparison between ATM LAN emulation, classical IP ATM, and native ATM in a multi-platform multi-operating system environment*Driscoll, D.J.; Mehravari, N.; Olson, M.H.;*

MILCOM 97 Proceedings, Volume: 1, 2-5 Nov. 1997

Pages:434 - 438 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(548 KB\)\]](#) IEEE CNF
3 The hot line work robot system "Phase II" and its human-robot interaction "MOS"*Nakashima, M.; Yano, K.; Maruyama, Y.; Yakabe, H.;*


Intelligent Robots and Systems 95. 'Human Robot Interaction and Cooperative Robots', Proceedings. 1995 IEEE/RSJ International Conference on, Volume: 2, Aug. 1995

Pages:116 - 123 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(754 KB\)\]](#) IEEE CNF

[New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)**IEEE Xplore®**
RELEASE 1.6[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)[Quick Links](#)» [See](#)**Welcome to IEEE Xplore®**

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Your search matched **0** of **1024576** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or enter a new one in the text box.


☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard

= Your access to full-text

Results:**No documents matched your query.**

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)**IEEE Xplore®**
RELEASE 1.6[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)[Quick Links](#)» [See](#)**Welcome to IEEE Xplore®**

- ☐ [Home](#)
- ☐ [What Can I Access?](#)
- ☐ [Log-out](#)

Tables of Contents

- ☐ [Journals & Magazines](#)
- ☐ [Conference Proceedings](#)
- ☐ [Standards](#)

Search

- ☐ [By Author](#)
- ☐ [Basic](#)
- ☐ [Advanced](#)

Member Services

- ☐ [Join IEEE](#)
- ☐ [Establish IEEE Web Account](#)
- ☐ [Access the IEEE Member Digital Library](#)

Your search matched **0** of **1024576** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering a new one in the text box.


☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard

= Your access to full-text

Results:**No documents matched your query.**

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) [Publications/Services](#) [Standards](#) [Conferences](#) [Careers/Jobs](#)**IEEE Xplore®**
RELEASE 1.6[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)[Quick Links](#)» [Se...](#)**Welcome to IEEE Xplore®**

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Your search matched **15** of **1024576** documents.

A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or enter a new one in the text box.

☐ Check to search within this result set**Results Key:**

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

= Your access to full-text

1 Amdahl multiple-domain architecture

Doran, R.W.;

Computer, Volume: 21, Issue: 10, Oct. 1988

Pages:20 - 28

[\[Abstract\]](#)[\[PDF Full-Text \(788 KB\)\]](#)[IEEE JNL](#)**2 Do you know where your architecture is?**

Vinoski, S.;

Internet Computing, IEEE, Volume: 7, Issue: 5, Sept.-Oct. 2003

Pages:86 - 88

[\[Abstract\]](#)[\[PDF Full-Text \(267 KB\)\]](#)[IEEE JNL](#)**3 Developing next-generation distributed applications with QoS enabled DPE middleware**

Schmidt, D.C.; Kachroo, V.; Krishnamurthy, Y.; Kuhns, F.;

Communications Magazine, IEEE, Volume: 38, Issue: 10, Oct. 2000

Pages:112 - 123

[\[Abstract\]](#)[\[PDF Full-Text \(136 KB\)\]](#)[IEEE JNL](#)**4 SPEC CPU2000: measuring CPU performance in the New Millennium**

Henning, J.L.;

Computer, Volume: 33, Issue: 7, July 2000

Pages:28 - 35

[\[Abstract\]](#)[\[PDF Full-Text \(200 KB\)\]](#)[IEEE JNL](#)

5 Optimizing the implementation of a MANET routing protocol in a heterogeneous environment*Calafate, C.M.T.; Garcia, R.G.; Manzoni, P.;*

Computers and Communication, 2003. (ISCC 2003). Proceedings. Eighth IEEE International Symposium on , 30 June-3 July 2003

Pages:217 - 222 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(273 KB\)\]](#) IEEE CNF**6 Zen and the art of Alpha verification***Dohm, N.; Ramey, C.; Brown, D.; Hildebrandt, S.; Huggins, J.; Quinn, M.; Ta S.;*

Computer Design: VLSI in Computers and Processors, 1998. ICCD '98. Proceedings., International Conference on , 5-7 Oct. 1998

Pages:111 - 117

[\[Abstract\]](#) [\[PDF Full-Text \(52 KB\)\]](#) IEEE CNF**7 The Motorola PowerPC™ PEEK profiler***Stewart, K.; Butt, F.; Sarkisian, D.; Breternitz, M., Jr.;*

Performance, Computing, and Communications Conference, 1997. IPCCC 1997 IEEE International , 5-7 Feb. 1997

Pages:342 - 349

[\[Abstract\]](#) [\[PDF Full-Text \(824 KB\)\]](#) IEEE CNF**8 Configuration management strategy for distributed and diverse soft development environments***Gumaste, U.V.; Ti-Chung R. Hsueh; Nocera, A.A.; Yiu Kwan Wo;*

Industrial Technology, 1996. (ICIT '96), Proceedings of The IEEE International Conference on , 2-6 Dec. 1996

Pages:42 - 46

[\[Abstract\]](#) [\[PDF Full-Text \(424 KB\)\]](#) IEEE CNF**9 Parallel processing for power system security assessment with open system techniques***Chen, R.H.; Malik, O.P.; Hope, G.S.; Wheatley, R.;*

WESCANEX 93. 'Communications, Computers and Power in the Modern Environment.' Conference Proceedings., IEEE , 17-18 May 1993

Pages:330 - 336

[\[Abstract\]](#) [\[PDF Full-Text \(492 KB\)\]](#) IEEE CNF**10 Handling preprocessor-conditioned declarations***Aversano, L.; Di Penta, M.; Baxter, I.D.;*

Source Code Analysis and Manipulation, 2002. Proceedings. Second IEEE International Workshop on , 1 Oct. 2002

Pages:83 - 92

[\[Abstract\]](#) [\[PDF Full-Text \(403 KB\)\]](#) IEEE CNF**11 Functional verification of a multiple-issue, out-of-order, superscal**

Alpha processor-the DEC Alpha 21264 microprocessor

Taylor, S.; Quinn, M.; Brown, D.; Dohm, N.; Hildebrandt, S.; Huggins, J.; Far C.;

Design Automation Conference, 1998. Proceedings , 15-19 June 1998

Pages:638 - 643

[\[Abstract\]](#) [\[PDF Full-Text \(580 KB\)\]](#) [IEEE CNF](#)

12 Timing verification of the 21264: A 600 MHz full-custom microproc

Shriver, E.J.; Hall, D.H.; Nassif, N.; Rahman, N.E.; Rethman, N.L.; Watt, G.; Farrell, J.A.;

Computer Design: VLSI in Computers and Processors, 1998. ICCD '98.

Proceedings., International Conference on , 5-7 Oct. 1998

Pages:96 - 103

[\[Abstract\]](#) [\[PDF Full-Text \(64 KB\)\]](#) [IEEE CNF](#)

13 A Windows-based interface for power system transient stability st

Madusuthanan, S.; Filipovic-Gledja, V.; Fernandopule, N.; Panetta, S.; Alden, R.T.I.;

Electrical and Computer Engineering, 1998. IEEE Canadian Conference

on , Volume: 2 , 24-28 May 1998

Pages:774 - 777 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(696 KB\)\]](#) [IEEE CNF](#)

14 Experience with the development of a microkernel-based, multiser operating system

Rawson, F.L., III;

Operating Systems, 1997., The Sixth Workshop on Hot Topics in , 5-6 May 19

Pages:2 - 7

[\[Abstract\]](#) [\[PDF Full-Text \(752 KB\)\]](#) [IEEE CNF](#)

15 The query execution engine in Tandem's new ServerWare SQL proc

Celis, P.; Zeller, H.;

Parallel and Distributed Information Systems, 1996., Fourth International

Conference on , 18-20 Dec. 1996

Pages:289 - 291

[\[Abstract\]](#) [\[PDF Full-Text \(192 KB\)\]](#) [IEEE CNF](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved



Advanced Groups Search

[Groups Help](#) | [About Google](#)

Find messages	with all of the words	<input type="text" value="multiple operating systems"/>	<input type="text" value="10 messages"/>
	with the exact phrase	<input type="text"/>	<input type="text" value="Sort by relevance"/>
	with at least one of the words	<input type="text"/>	<input type="button" value="Google Search"/>
	without the words	<input type="text"/>	

Newsgroup	Return only messages from the newsgroup	<input type="text" value=""/> (Example: rec.games.misc, comp.os.*, *linux*)
Subject	Return only messages where the subject contains	<input type="text"/>
Author	Return only messages where the author is	<input type="text"/>
Message ID	Find the message with message ID	<input type="text"/> (Example: moderated-ng-faq-1-983174581@swcp.com)
Language	Return messages written in	<input type="text" value="any language"/>
Message Dates	<input checked="" type="radio"/> Return messages posted: <input type="text" value="anytime"/>	
	<input type="radio"/> Return messages posted between	<input type="text" value="12"/> <input type="text" value="May"/> <input type="text" value="1981"/> and <input type="text" value="14"/> <input type="text" value="Apr"/> <input type="text" value="2004"/>
SafeSearch	<input checked="" type="radio"/> No filtering <input type="radio"/> Filter using SafeSearch	

©2004 Google


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#)^{New!} [more »](#)

multiple operating systems

Search

[Advanced Groups Search](#)
[Preferences](#)

Groups

Results 1 - 10 of about 172,000 for **multiple operating systems**. (0.61 seconds)Sorted by relevance [Sort by date](#)
 Related groups: [comp.sys.mac.advocacy](#)
[comp.os.os2.misc](#)

Sponsored Links

VMWare Workstation Free
 Test PC Mag's Utility of the Year
 & Get a Free VMWare Tshirt
<http://www.virtual-strategy.com>
Extended Boot Manager
 Free boot manager download.
 Great GUI Interface. Easy to use.
www.Stop-Sign.com
Cheaper Prices at NexTag
 Compare Prices, Tax & Shipping
 from online stores at NexTag.com
www.nextag.com
[See your message here...](#)**Re: Apple's multiple operating systems**
 ... They could have **multiple operating systems**. ... Microsoft uses
multiple operating systems for different purposes, so why not Apple?
[comp.sys.mac.advocacy](#) - Jul 8, 2001 by Vshah101 - [View Thread \(34 articles\)](#)
Multiple Operating Systems
 Can someone tell me the best way to have **multiple operating systems**...
 I have a new PC on the way... A Pentium 166 with a 2.1g drive. ...
[comp.os.os2.misc](#) - May 10, 1996 by Ken Stratton - [View Thread \(7 articles\)](#)
Re: multiple operating systems on one machine
 Hello, I would like to run **multiple operating systems** on my machine.
 Currently I have DOS/Windows on my first drive (850 meg), Linux ...
[comp.os.ms-windows.win95.setup](#) - Dec 28, 1995 by kurt krueckeberg - [View Thread \(2 articles\)](#)
ps Tech Support TROUBLESHOOTING OF MULTIPLE OPERATING SYSTEMS ...
 START_OF_RESUME Resume_Geography: NY 12550 Contact_Date: 06-Jun-98 Subject:
 Tech Support TROUBLESHOOTING OF **MULTIPLE OPERATING SYSTEMS** SUCH AS Psource ...
[misc.jobs.resumes](#) - Jun 10, 1998 by PeopleSearch - [View Thread \(2 articles\)](#)
US-NY-Long Island-Senior Systems Admin (multiple operating ...
 ... ticg@net-temps.com
 Job Title: Senior **Systems Admin (multiple operating systems)** Job Description ...
[li.jobs](#) - Oct 14, 1998 by The Infinity Consulting Group - [View Thread \(2 articles\)](#)
Re: Multiple Operating Systems
 Subj: Re: **Multiple Operating Systems** I have seen a product advertised called SYSTEM
 COMMANDER which claims to allow you to boot/run MANY different **operating** ...
[bit.listserv.os2-l](#) - May 31, 1995 by Bob George - [View Thread \(12 articles\)](#)
Multiple operating systems
 ... I work retail sales and was asked by a customer if pcAnywhere will be able to access
multiple operating systems at one time using **multiple windows** (within win ...
[symantec.support.win95.pca.general](#) - Apr 3, 1998 by Joseph Leitschuh - [View Thread \(2 articles\)](#)
Supporting multiple operating systems
 ... Pentium ii/450, and the speed is acceptable.) My question (at last!) is: How do
 other Help Desks handle the problem of supporting **multiple operating systems**? ...
[bit.listserv.hdesk-l](#) - Sep 22, 1998 by Martha Parrott - [View Thread \(2 articles\)](#)
Multiple operating systems

I am trying to upgrade from W98SE to XP PRO but it states that I cannot

continue as I have **multiple operating systems** installed. ...

[microsoft.public.win98.apps](#) - Dec 10, 2003 by julie - [View Thread \(2 articles\)](#)

Upgrade fails because of **multiple operating systems** ?

... and keep getting an error message that states that I have two **operating systems** therefore

Win 2000 cannot upgrade to a machine with **multiple operating systems**. ...

[microsoft.public.win2000.setup_upgrade](#) - Oct 19, 2002 by Cheryl - [View Thread \(2 articles\)](#)

Goooooooooooooogle ►

Result Page: 1 [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

multiple operating systems

Search

[Groups Help](#)

[Google Home](#) - [Advertising Products](#) - [Business Solutions](#) - [About Google](#)

©2004 Google


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) ^{New!} [more »](#)

multiple operating systems

Search

[Advanced Groups Search](#)
[Preferences](#)

Groups

Search result 3 for multiple operating systems

File Recovery • All File Types Recovered Free Estimate - Call (800)233-3648 • www.ainetworks.com

Sponsored

Fdisk won't delete your • partitions? Simple tool deletes partitions when Fdisk won't. • www.meixler-tech.com/pzapper

Links

Partition Magic 8 \$29.95 • Manages Hard Drive Partitions Free Shipping With All Orders • www.clickcooldeals.com
From: kurt krueckeberg (kkruecke@airmail.net)

Search Result 3

Subject: Re: **multiple operating systems** on one machineNewsgroups: [comp.os.ms-windows.win95.setup](#)View: [Complete Thread \(2 articles\)](#)

Date: 1995/12/28

[Original Format](#)

patrick@rahul.net (Patrick May) wrote:

>Hello,

> I would like to run **multiple operating systems** on my machine.

>Currently I have DOS/Windows on my first drive (850 meg), Linux on my

>second drive (another 850), and a DOS partition on my third drive

>(400 meg). I'd like to install OS/2 and Windows 95 now, with NT to

>follow in the future.

> Is there a requirement that all **operating systems** be loaded on

>one of the first two physical drives? Is it possible to repartition

>my first physical drive to hold DOS/Windows, OS/2, Win95, and WinNT

>without changing my Linux drive? How much space will I need for each

>OS? Should I get Partition Magic to do this arranging? Should I get

>System Commander to manage all these configs?

> Thanks in advance for any insights, pointers, or instructions.

>Regards,

>Patrick May

Try this product, as described in a recent Byte magazine article on PC **operating systems**.

"For those who run **multiple operating systems** from the same PC, V Communications's System Commander is an indispensable utility. System Commander lets you load and boot from several OSes, such as DOS, Windows 3.1, Windows NT, Windows 95, and OS/2--on different disk partitions or the same partition. It will even work with an OS, such as Windows 95, that requires installation on the boot sector of the disk. Boot-management utilities such as this are, in effect, OS-independent, giving the user ready access to any PC **operating system**.

regards,
Kurt Krueckeberg

[Google Home](#) - [Advertising Products](#) - [Business Solutions](#) - [About Google](#)

©2004 Google

All messages from thread

From: GUSTAVO D. BOTVINIKOFF (GDBOT@CCGATE.HAC.COM)

Message 1 in thread

Subject: multiple operating systems

Newsgroups: comp.os.linux.development.system

Date: 1997/08/28

[View this article only](#)

Does anybody know software which will allow management of several operating systems.

I am looking for software that at boot-time will allow me to choose from different operating systems?

For example: I am interested in having Windows 95, Windows NT, Windows 3.1, and Linux in the same hard drive.

From: Rudolf Leitgeb (leitgeb@variable.stanford.edu)

Message 2 in thread

Subject: Re: multiple operating systems

Newsgroups: comp.os.linux.development.system

Date: 1997/09/05

[View this article only](#)

In article <GDBOT-2808971329310001@x-147-17-239-98.es.hac.com>,

GDBOT@CCGATE.HAC.COM (GUSTAVO D. BOTVINIKOFF) writes:

```
> Does anybody know software which will allow management of several
> operating systems.
> I am looking for software that at boot-time will allow me to choose from
> different operating systems?
> For example: I am interested in having Windows 95, Windows NT, Windows
> 3.1, and Linux in the same hard drive.
```


Theoretically no problem, if Windows NT wasn't that dumb:
Windows NT (at least 3.51 did it) installs something in the
Idon'tknowwhat-partition/sector that will be destroyed by lilo. I'd
suggest, you partition with linux's fdisk, install all that MS-OSs and try
to get them to run (Just leave two partitions for linux and linux-swap).
Then, from your DOS/Windows 3.1 partition run loadlin to boot linux.

Win NT gives you a boot manager (which is a pain to set up) that allows you
to either boot DOS or Win NT. Maybe you are able to talk it into booting
Windows 95, too. From DOS you can boot Windows 3.1 or linux.

Hope that works for you

Rudi

--



```

B O R N
  T O
S L E E P
  I N
T H E   S U N

```

From: [Philippe Le Foll \(phillf@fridu.com\)](mailto:phillf@fridu.com)
Subject: Re: multiple operating systems
Newsgroups: [comp.os.linux.development.system](#)
Date: 1997/09/06

Message 3 in thread

[View this article only](#)

Rudolf Leitgeb wrote:

```
>  
> In article <GDBOT-2808971329310001@x-147-17-239-98.es.hac.com>,  
> GDBOT@CCGATE.HAC.COM (GUSTAVO D. BOTVINIKOFF) writes:  
> > Does anybody know software which will allow management of several  
> > operating systems.  
> > I am looking for software that at boot-time will allow me to choose from  
> > different operating systems?  
> > For example: I am interested in having Windows 95, Windows NT, Windows  
> > 3.1, and Linux in the same hard drive.
```

No trouble with Linux, you just have to install lilo after window95 or NT because they force there own boot loader.

I personnaly have machines with Linux/Nt4 Linux/Nt3.5 Linux/W95 and it works fine. Now if you want to have NT and Window95 on the same parition you just have to take two different directories for OS installation. This will make you two reperitories and many DLLs will be installed twice, user defaults and options set under Word with W95 wont be seen from Word under NT and

Trouble: each time you will reinstalled NT or W95 Lilo multi boot will be broken, in this case just take your Linux boot floppy. Use root=/dev/hda2 (if Linux under 2th IDE partition) log has root and type lilo, this will rebuilt your lilo bootstrap and multi boot will work again.

From Dos and W3.1 loadlin works, I never test them it should work under W95, I will be very surprized that it could work from NT.

Last thing: if your disk is small you can place Linux swap under dos partition, in Windows tmp dir with following commands:

```
# if not avaiable create swap area  
#SWAPFILE=/dosC/tmp/.linux.swp; export SWAP_FILE  
#if test -f "$SWAPFILE"  
#then  
# echo "validated SWAP onto old $SWAPFILE"  
#else  
# echo "WARNING: create new swap area $SWAPFILE"  
# mkdir -p /dosC/tmp  
# dd if=/dev/zero of=$SWAPFILE bs=1024 count=32768  
# /sbin/mkswap $SWAPFILE 32768  
# sync  
#fi  
#/sbin/swapon $SWAPFILE
```

Philippe Le Foll

```
> Theoretically no problem, if Windows NT wasn't _that_ dumb:  
> Windows NT (at least 3.51 did it) installs something in the  
> I don't know what partition/sector that will be destroyed by lilo. I'd  
> suggest, you partition with linux's fdisk, install all that MS-OSs and try  
> to get them to run (Just leave two partitions for linux and linux-swap).
```

> Then, from your DOS/Windows 3.1 partition run loadlin to boot linux.
 >
 > Win NT gives you a boot manager (which is a pain to set up) that allows you
 > to either boot DOS or Win NT. Maybe you are able to talk it into booting
 > Windows 95, too. From DOS you can boot Windows 3.1 or linux.
 >
 > Hope that works for you

From: [David D. Gitchell \(ddgitche@southwind.net\)](mailto:ddgitche@southwind.net)
 Subject: Re: multiple operating systems
 Newsgroups: [comp.os.linux.development.system](http://groups.google.com/group/comp.os.linux.development.system)
 Date: 1997/09/06

Message 4 in thread

[View this article only](#)

In article <GDBOT-2808971329310001@x-147-17-239-98.es.hac.com>,
 GDBOT@CCGATE.HAC.COM (GUSTAVO D. BOTVINIKOFF) writes:
 > Does anybody know software which will allow management of several
 > operating systems.
 > I am looking for software that at boot-time will allow me to choose from
 > different operating systems?
 > For example: I am interested in having Windows 95, Windows NT, Windows
 > 3.1, and Linux in the same hard drive.

As you have seen from some of the other posts, what you wish to do can be fairly easily done. I'm currently using OS/2 boot manager to switch between Linux, NT 4, and Win95, but it can all be easily managed with NT's boot manager, and the bootpart utility, along with lilo and dd under Linux.

The MSDos stuff will pretty easily manage multiple boot between its various versions if you install in the right order, and don't install into the same Windows directory.

Install DOS and 3.1 first to your C: partition. Then install Win95 to a *different* directory on the C: partition. Win95's boot menu (in response to the F8 key) will allow you to boot back into the previous DOS version and Win3.1, if you desire. Then install NT to a different partition, but leave the C: partition as the active partition while you are doing that. NT will set up a boot menu that will allow you to boot into your old DOS (Win95), so that you can choose between NT and Win95. If you choose Win95 from that menu, you can still use the F8 key while it is booting to switch to DOS/Win3.1.

Now the tricky part: adding Linux to the NT boot manager.

Thanks to Gilles Volland, you can get his 'bootpart' utility at: <http://ourworld.compuserve.com/homepages/gvolland/bootpart.htm> and follow his instructions. That's the easiest way. :) You can even fix the MsDos boot, Win3.1, and Win95 boots with his 'bootpart' utility, if things go wrong along the way.

Enjoy!

-- Dave

 #include <std_disclaimer.h> /* I speak for myself, only. */

LCDR David D. Gitchell, USN (Retired), Hutchinson, KS, USA
 ddgitche@southwind.net ddgitche@cs.twsu.edu

From: [MarkoEr \(markoer@nospam.usa.net\)](mailto:markoer@nospam.usa.net)
Subject: Re: multiple operating systems
Newsgroups: [comp.os.linux.development.system](#)
Date: 1997/09/07

Message 5 in thread

[View this article only](#)

Philippe Le Foll wrote:

> Rudolf Leitgeb wrote:
> >
> > > Does anybody know software which will allow management of several
> > > operating systems.
> > > I am looking for software that at boot-time will allow me to choose from
> > > different operating systems?
> > > For example: I am interested in having Windows 95, Windows NT, Windows
> > > 3.1, and Linux in the same hard drive.
>
> No trouble with Linux, you just have to install lilo after window95
> or NT because they force there own boot loader.

If you have Win95 release 2 (the OEM version) or the newMemphis with the VFAT32, LILO can't manage them. It seems that Linux could look this partition with a patch for the Kernel, but at the moment it don't works right, and anyway LILO can't manage it.

You have to make a very little partition (1 Mb) as the first partition of the disk, and install a software like Partition Magic, that supports the VFAT 32. Look for it with some search engine on the web.

HTH

From: [Peter Pointner \(peter@wuzel.m.isar.de\)](mailto:peter@wuzel.m.isar.de)
Subject: Re: multiple operating systems
Newsgroups: [comp.os.linux.development.system](#)
Date: 1997/09/10

Message 6 in thread

[View this article only](#)

MarkoEr <markoer@nospam.usa.net> wrote:

: If you have Win95 release 2 (the OEM version) or the newMemphis with the
: VFAT32, LILO can't manage them. It seems
: that Linux could look this partition with a patch for the Kernel,
: but at the moment it don't works right, and anyway LILO can't
: manage it.

There is no need for LILO to know something about the filesystem that an operating system uses. As long as you have a linux partition to store some LILO-data, it can boot any other OS stored on a partition reachable with BIOS-calls.

Some time ago I used LILO to boot an exotic Unix-variant. (The OS/2 boot manager could not do the job, because this unix insisted on booting only from the active partition.) There was no way to mount the partition under Linux.

Peter

From: [Troy Wu \(troy@sixdegrees.com\)](mailto:troy@sixdegrees.com)

Message 7 in thread

Subject: Re: multiple operating systems
Newsgroups: [comp.os.linux.development.system](#)
Date: 1997/09/09

[View this article only](#)

Well, LILO is the answer. But there are two ways, one of them already elucidated by Philippe Le Foll <phillf@fridu.com>. He basically said that you have to install Linux after win95 or NT because they FUBAR the MBR (master boot record). He's right.

The other is to install Linux and put (or install) LILO to a floppy, _then_ install NT. When you boot the machine, put the LILO floppy in, and boot Linux. Edit '/etc/lilo.conf' so it looks something like this:

```
boot=/dev/hda
map=/boot/map
install=/boot/boot.b
prompt
timeout=50
image=/boot/vmlinuz
    label=linux
    root=/dev/hda3
    read-only
other=/dev/hda1
    label=dos
    table=/dev/hda
```

Be careful what you type. In particular, specify the correct partitions. For example, my Linux partition is '/dev/hda3'. Yours may differ. _PLEASE_ change accordingly! When you've edited the file, save, exit. Then,

```
# lilo
```

to install (that's "lilo" at the root prompt). Then you're set to go. Take out the LILO boot floppy, and you're set. You'll get a prompt: 'dos' to boot to win95/NT, 'linux' to boot...Yeah, you got it. Just change the 'label=' value to change. After making a change to 'lilo.conf', be sure to run 'lilo' again.

Good luck.

--

```
--troy
troy@sixdegrees.com
http://www.sixdegrees.com
212.583.1234 (x42)
```

From: [Mats Andtbacka \(mandtbac@news.abo.fi\)](#)
Subject: Re: multiple operating systems
Newsgroups: [comp.os.linux.development.system](#)
Date: 1997/09/10

Message 8 in thread

[View this article only](#)

Troy Wu, in <341565D7.3E8512F9@sixdegrees.com>:

```
>Well, LILO is the answer. But there are two ways, one of them already
>elucidated by Philippe Le Foll <phillf@fridu.com>. He basically said
>that you have to install Linux after win95 or NT because they FUBAR the
```


>MBR (master boot record). He's right.

FWIW, NTWS 4.0 doesn't. it only touched the partition's boot record on my system, at least. '95 hoses the MBR, though.

>The other is to install Linux and put (or install) LILO to a floppy,
>_then_ install NT.

a LILO floppy is a lifesaver in most any event. let the lesser OS's hose themselves all they want, so long as you can get Linux up to clean up the mess they leave...

--

"Yes i'm lonely..."

Yer Blues, Lennon / McCartney

From: Albert D. Cahalan (no junk mail please@jupiter.cs.uml.edu)

Message 9 in thread

Subject: Re: multiple operating systems

Newsgroups: comp.os.linux.development.system

Date: 1997/09/10

[View this article only](#)

Troy Wu <troy@sixdegrees.com> writes:

> Well, LILO is the answer. But there are two ways, one of them already
> elucidated by Philippe Le Foll <phillf@fridu.com>. He basically said
> that you have to install Linux after win95 or NT because they FUBAR the
> MBR (master boot record). He's right.

Only WinNT does that. WinNT 4.0 left my LILO boot sector.

> The other is to install Linux and put (or install) LILO to a floppy,
> _then_ install NT. When you boot the machine, put the LILO floppy in,
> and boot Linux. Edit '/etc/lilo.conf' so it looks something like this: ...
> You'll get a prompt: 'dos' to boot to win95/NT, 'linux' to boot...
> Yeah, you got it. Just change the 'label=' value to change.
> After making a change to 'lilo.conf', be sure to run 'lilo' again.

If you run WinNT and use LILO, make one of these true:

- a. Run the very latest version of LILO.
- b. Never run NT disk manager under any circumstances.

Better yet, keep LILO out of your master boot record.
The NT boot manager gives you a nice menu with NT, NT in safe mode, DOS, and Linux. You must add Linux of course.

Here is config file #1, /etc/lilo.conf:

```
#####
boot = /dos/bootsect.lin # LILO in DOS file for NT boot
delay = 30                # 3 seconds to select safe kernel
vga = normal              # force sane state

image = /dos/linux/kernel/2-1-55.ker # anywhere LILO can reach
# append="aha152x=0x340,11,7,1"      # adjust as needed
root = /dev/hda7
label = 2-1-47
read-only

image = /dos/linux/kernel/2-0-28.ker
```

```
# append="aha152x=0x340,11,7,1"      # adjust as needed
root = /dev/hda7
label = safe
read-only
```

#####

Config file #2 is C:\BOOT.INI for the NT bootloader.
Default to DOS in case some idiot plays with the power switch.

Read the rest of this message... (31 more lines)

©2004 Google


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#)^{New!} [more »](#)

multiple operating systems

Search

[Advanced Groups Search](#)
[Preferences](#)

Groups

Search result 36 for multiple operating systems

IP*Works! Internet Tools • TCP/IP Components - HTTP, SOAP, FTP, SMTP, SSL, Server, NNTP,
 etc. • www.nsoftware.com

Sponsored

[Links](#)

Unix • Operating Systems Intel® Developer Services • www.intel.com

Learn UNIX in 4 Days • Hands-On Training & In-Depth Labs Public Schedule & On-Site
 Courses • www.traininghott.com

From: [Gregory Scallan \(gscallan@ajax.kgn.ibm.com\)](mailto:gscallan@ajax.kgn.ibm.com)

Search Result 36

Subject: Re: Running **multiple operating systems** on one machine

Newsgroups: [comp.unix.aix](#)

View: [Complete Thread \(3 articles\)](#)

Date: 1993-04-21 15:07:31 PST

[Original Format](#)

> We are in the midst of converting our software over to use AIX 3.2. We would
 > like to make one or more of our machine so that they could be booted from
 > either 3.1.5 or 3.2. Has anyone done this? Thanks.

Yes, you can. Each **operating** system must be on its own boot device (i.e. hard disk). You can change the "normal mode" boot device by using the command `bootlist -m normal [list of boot devices]`. You cannot access data on boot device 1 while running off of boot device 2, and vice versa. I would recommend keeping data remote for this system. What you could do however is add a 3rd hard disk on a separate volume group known to both boot devices. This will enable data sharing across both **operating systems** (i.e. updates made to data on 3rd disk while running on operating system 1 will be seen when switching to operating system 2).

Hope this helps,
 Greg

Gregory J. Scallan
 Graphics **Systems** Technical Center, AWS
 (914)385-5054 (T/L 695)

IBMnet: GSCALLAN@KGNV
 Internet: spider@vnet.ibm.com
 Sneakernet: 203-2-2-2, Kingston

[Google Home](#) - [Advertising Products](#) - [Business Solutions](#) - [About Google](#)

©2004 Google

All messages from thread

From: [Wayne Johnson \(waynej@ncs.com\)](mailto:waynej@ncs.com)
 Subject: Running multiple operating systems on one machine
 Newsgroups: [comp.unix.aix](#)
 Date: 1993-04-21 11:43:30 PST

Message 1 in thread

[View this article only](#)

We are in the midst of converting our software over to use AIX 3.2. We would like to make one or more of our machine so that they could be booted from either 3.1.5 or 3.2. Has anyone done this? Thanks.

From: [Gregory Scallan \(gscallan@ajax.kgn.ibm.com\)](mailto:gscallan@ajax.kgn.ibm.com)
 Subject: Re: Running multiple operating systems on one machine
 Newsgroups: [comp.unix.aix](#)
 Date: 1993-04-21 15:07:31 PST

Message 2 in thread

[View this article only](#)

> We are in the midst of converting our software over to use AIX 3.2. We would
 > like to make one or more of our machine so that they could be booted from
 > either 3.1.5 or 3.2. Has anyone done this? Thanks.

Yes, you can. Each operating system must be on its own boot device (i.e hard disk). You can change the "normal mode" boot device by using the command `bootlist -m normal [list of boot devices]`. You cannot access data on boot device 1 while running off of boot device 2, and vice versa. I would recommend keeping data remote for this system. What you could do however is add a 3rd hard disk on a separate volume group known to both boot devices. This will enable data sharing across both operating systems (i.e. updates made to data on 3rd disk while running on operating system 1 will be seen when switching to operating system 2).

Hope this helps,
 Greg

Gregory J. Scallan Graphics Systems Technical Center, AWSO (914)385-5054 (T/L 695)	IBMnet: GSCALLAN@KGNVMY Internet: spider@vnet.ibm.com Sneakernet: 203-2-2-2, Kingston
--	---

From: [Marc Wiz \(mwiz@cia.austin.ibm.com\)](mailto:mwiz@cia.austin.ibm.com)
 Subject: Re: Running multiple operating systems on one machine
 Newsgroups: [comp.unix.aix](#)
 Date: 1993-04-21 16:41:50 PST

Message 3 in thread

[View this article only](#)

In article <1993Apr21.180351.24265@ncs.com> waynej@ncs.com (Wayne Johnson) writes:
 >We are in the midst of converting our software over to use AIX 3.2. We would
 >like to make one or more of our machine so that they could be booted from either
 >3.1.5 or 3.2. Has anyone done this? Thanks.
 >

I used to do this by installing 3.1 on one disk and 3.2 on another.
 I then used the bootlist command to switch which disk was to be booted.

You could also use the external SCSI "garage" to switch bootable disks.

Marc

mwiz@austin.ibm.com

(512)823-9330

Yes, that really is my last name.

I type only for myself.

©2004 Google